

This instrument was prepared by  
and upon recording should be returned to:

KUTAK ROCK LLP  
107 West College Avenue  
Tallahassee, Florida 32301

---

**NOTICE OF ESTABLISHMENT OF THE  
SHINGLE CREEK TRANSIT AND UTILITY COMMUNITY DEVELOPMENT DISTRICT**

PLEASE TAKE NOTICE that on October 10, 2023, and pursuant to a petition filed by Universal City Development Partners, Ltd., a Florida limited partnership, the County Commission of Orange County, Florida adopted Ordinance No. 2023-40, which became effective on October 16, 2023, establishing the Shingle Creek Transit and Utility Community Development District (the "District"). The legal description of the lands encompassed within the District is attached hereto as **Exhibit A**. The District is a special-purpose form of local government established pursuant to and governed by Chapter 190, *Florida Statutes*. More information on the powers, responsibilities, and duties of the District may be obtained by examining Chapter 190, *Florida Statutes*, or by contacting the District's registered agent as designated to the Department of Commerce under Section 189.014, *Florida Statutes*.

**THE SHINGLE CREEK TRANSIT AND UTILITY COMMUNITY DEVELOPMENT DISTRICT MAY IMPOSE AND LEVY TAXES OR ASSESSMENTS, OR BOTH TAXES AND ASSESSMENTS, ON THIS PROPERTY. THESE TAXES AND ASSESSMENTS PAY THE CONSTRUCTION, OPERATION AND MAINTENANCE COSTS OF CERTAIN PUBLIC FACILITIES AND SERVICES OF THE DISTRICT AND ARE SET ANNUALLY BY THE GOVERNING BOARD OF THE DISTRICT. THESE TAXES AND ASSESSMENTS ARE IN ADDITION TO COUNTY AND OTHER LOCAL GOVERNMENT TAXES AND ASSESSMENTS AND ALL OTHER TAXES AND ASSESSMENTS PROVIDED FOR BY LAW.**

[THIS SPACE INTENTIONALLY LEFT BLANK]

IN WITNESS WHEREOF, this Notice has been executed on this 17<sup>th</sup> day of October, 2023, and recorded in the Official Records of Orange County, Florida.

Lindsay C. Whelan  
Lindsay C. Whelan, Esq.  
District Counsel

April Warner  
Witness

[Signature]  
Witness

April Warner  
Print Name

Gabe McKee  
Print Name

STATE OF FLORIDA  
COUNTY OF LEON

The foregoing instrument was acknowledged before me by means of  physical presence or  online notarization, this 17<sup>th</sup> day of October, 2023, by Lindsay C. Whelan, who appeared before me this day in person, and who is personally known to me.



Brea R. Ward  
Comm.: # HH 302893  
Expires: August 21, 2026  
Notary Public - State of Florida

[Signature]  
Print Name: BREA WARD  
Notary Public, State of Florida

**Exhibit A**

**Property Description**

**UCDP (SLRC)**

**CDD Boundary**

**JN: 22630.001**

**Revised: 10/10/2023**

**Parcel 1**

DESCRIPTION: (prepared by Donald W. McIntosh Associates, Inc.)

That part of Sections 31 and 32, Township 23 South, Range 29 East, and that part of Sections 5 and 6, Township 24 South, Range 29 East, Orange County, Florida, described as follows:

COMMENCE at the Southwest corner of OEP EAST PARCEL, according to the plat thereof, as recorded in Plat Book 81, Pages 150 and 151, of the Public Records of Orange County, Florida; thence N67°05'22"W along the Northerly Right-of-way line of Universal Boulevard, USI - SOUTH CAMPUS UNIT ONE, according to the plat thereof, as recorded in Plat Book 46, Pages 13 through 16, of said Public Records, a distance of 575.14 feet to the Easterly boundary of Segment 1, as described in Exhibit "B" of Official Records Document No. 20210741112, of said Public Records; thence run the following courses along said Easterly boundary: N22°05'22"W, 28.50 feet; thence N22°54'38"E, 82.36 feet to the point of curvature of a curve concave Westerly having a radius of 2604.00 feet and a chord bearing of N14°05'28"E; thence Northerly along the arc of said curve through a central angle of 17°38'20" for a distance of 801.66 feet to the point of tangency; thence N05°16'18"E, 276.48 feet to the point of curvature of a curve concave Westerly having a radius of 2153.00 feet and a chord bearing of N02°35'46"E; thence Northerly along the arc of said curve through a central angle of 05°21'03" for a distance of 201.07 feet to the point of reverse curvature of a curve concave Southeasterly having a radius of 50.00 feet and a chord bearing of N30°09'54"E; thence Northeasterly along the arc of said curve through a central angle of 60°29'19" for a distance of 52.79 feet to the point of tangency; thence N60°24'34"E, 45.88 feet to the point of curvature of a curve concave Southeasterly having a radius of 1464.67 feet and a chord bearing of N64°35'22"E; thence Northeasterly along the arc of said curve through a central angle of 08°21'37" for a distance of 213.72 feet to the point of tangency; thence N68°46'11"E, 181.68 feet to the point of curvature of a curve concave Southerly having a radius of 1164.67 feet and a chord bearing of N71°23'44"E; thence Easterly along the arc of said curve through a central angle of 05°15'07" for a distance of 106.76 feet to the point of tangency; thence N74°01'18"E, 210.89 feet to the point of curvature of a curve concave Southerly having a radius of 1343.00 feet and a chord bearing of N78°44'54"E; thence Easterly along the arc of said curve through a central angle of 09°27'11" for a distance of 221.58 feet to the point of compound curvature of a curve concave Southerly having a radius of 1494.00 feet and a chord bearing of N84°42'43"E; thence Easterly along the arc of said curve through a central angle of 02°28'26" for a distance of 64.51 feet to a non-tangent line; thence N03°31'55"W, 170.72 feet to the POINT OF BEGINNING; thence continue N03°31'55"W, 26.57 feet; thence N70°07'25"W, 48.16 feet to a non-tangent curve concave Southerly having a radius of 1609.00 feet and a chord bearing of S82°20'10"W; thence Westerly along the arc of said curve through a central angle of 05°55'05" for a distance of 166.19 feet to the point of tangency; thence S79°22'38"W, 402.30 feet to the point of curvature of a curve concave Northeasterly having a radius of 474.00 feet and a chord bearing of N60°52'23"W; thence Northwesterly along the arc of said curve through a central angle of 79°29'58" for a distance of 657.69 feet to the point of reverse curvature of a curve concave Southwesterly having a radius of 2164.00 feet and a chord bearing of N23°40'50"W; thence Northwesterly along the arc of

said curve through a central angle of  $05^{\circ}06'53''$  for a distance of 193.18 feet to the point of compound curvature of a curve concave Southwesterly having a radius of 2693.00 feet and a chord bearing of  $N33^{\circ}02'16''W$ ; thence Northwesterly along the arc of said curve through a central angle of  $13^{\circ}35'57''$  for a distance of 639.19 feet to the point of tangency; thence  $N39^{\circ}50'14''W$ , 186.56 feet to the point of curvature of a curve concave Northeasterly having a radius of 910.00 feet and a chord bearing of  $N23^{\circ}09'36''W$ ; thence Northwesterly along the arc of said curve through a central angle of  $33^{\circ}21'16''$  for a distance of 529.75 feet to the point of compound curvature of a curve concave Easterly having a radius of 1031.00 feet and a chord bearing of  $N03^{\circ}24'34''W$ ; thence Northerly along the arc of said curve through a central angle of  $06^{\circ}08'48''$  for a distance of 110.61 feet to the point of tangency; thence  $N00^{\circ}20'10''W$ , 42.86 feet; thence  $N20^{\circ}25'59''E$ , 36.66 feet; thence  $N00^{\circ}20'10''W$ , 107.39 feet; thence  $N15^{\circ}28'33''W$ , 87.09 feet to the Northerly line of lands described in Official Records Book 5638, Page 3517, of said Public Records; thence departing said Easterly boundary of Segment 1, run  $N89^{\circ}22'10''E$  along said Northerly line and the Northerly line of N-4 through N-11, as described in Official Records Book 8891, Page 803, a distance of 116.03 feet; thence run the following two (2) courses along said Northerly line of N-4 through N-11:  $N00^{\circ}37'51''W$ , 814.55 feet; thence  $S89^{\circ}42'25''E$ , 861.90 feet to the Southwest corner of lands described in Official Records Book 8935, Page 877, of said Public Records; thence run the following four (4) courses along said Westerly line:  $N00^{\circ}01'31''E$ , 852.05 feet to a non-tangent curve concave Southerly having a radius of 699.98 feet and a chord bearing of  $N80^{\circ}29'45''W$ ; thence Westerly along the arc of said curve through a central angle of  $28^{\circ}27'28''$  for a distance of 347.67 feet to a non-tangent line; thence  $N86^{\circ}34'48''W$ , 220.58 feet; thence  $S83^{\circ}04'03''W$ , 714.34 feet to the East line of Segment 2, as described in Exhibit "B", of aforesaid Official Records Document No. 20210741112 and a non-tangent curve concave Easterly having a radius of 1400.00 feet and a chord bearing of  $N13^{\circ}34'52''W$ ; thence Northerly along said East line and the Easterly line of Segment 3 as described in Exhibit "B", of said Official Records Document No. 20210741112 and the arc of said curve through a central angle of  $14^{\circ}03'22''$  for a distance of 343.46 feet to the point of tangency; thence run the following seven (7) courses along said Easterly line of Segment 3:  $N06^{\circ}33'11''W$ , 56.46 feet to the point of curvature of a curve concave Southeasterly having a radius of 25.00 feet and a chord bearing of  $N25^{\circ}41'13''E$ ; thence Northeasterly along the arc of said curve through a central angle of  $64^{\circ}28'49''$  for a distance of 28.13 feet to the point of tangency; thence  $N57^{\circ}55'38''E$ , 72.42 feet to a non-tangent curve concave Southwesterly having a radius of 524.00 feet and a chord bearing of  $N34^{\circ}50'58''W$ ; thence Northwesterly along the arc of said curve through a central angle of  $07^{\circ}15'31''$  for a distance of 66.38 feet to the point of tangency; thence  $N38^{\circ}28'44''W$ , 53.07 feet to the point of curvature of a curve concave Easterly having a radius of 50.00 feet and a chord bearing of  $N19^{\circ}24'27''W$ ; thence Northerly along the arc of said curve through a central angle of  $38^{\circ}08'34''$  for a distance of 33.29 feet to the point of tangency; thence  $N00^{\circ}20'10''W$ , 302.63 feet to the South Right-of-way line of Sand Lake Road (State Road 482), as described in Official Records Book 223, Page 321, and Official Records Book 235, Page 620, of said Public Records; thence run the following seven (7) courses along said South Right-of-way line:  $S89^{\circ}58'06''E$ , 784.62 feet; thence  $N00^{\circ}37'51''W$ , 10.00 feet; thence  $S89^{\circ}58'06''E$ , 563.11 feet; thence  $N00^{\circ}01'31''E$ , 10.00 feet; thence  $N89^{\circ}44'41''E$ , 399.99 feet; thence  $S00^{\circ}01'31''W$ , 10.00 feet; thence  $N89^{\circ}44'41''E$ , 895.80 feet; thence departing said South Right-of-way line run  $S00^{\circ}26'24''E$ , 144.32 feet; thence  $N87^{\circ}00'12''E$ , 3.37 feet to the Westerly line of the OUC Chilled Water Facility Access Easement Area, as described in Exhibit "A-3", of Document No. 20200034472, of said Public Records; thence run the following courses along the exterior boundaries of said Access Easement Area, the Chilled Water Facility Easement Area, the Utilities Easement Area, the Pipeline Easement Area, and the Parking Easement Area, as described in Exhibits "A-1" through "A-4" inclusive, Exhibit "A-5", and Exhibit "A-7" of said Document No. 20200034472:  $S00^{\circ}15'19''E$ , 846.05 feet; thence  $N89^{\circ}44'41''E$ , 128.14 feet; thence  $S30^{\circ}15'19''E$ , 17.32 feet; thence departing said exterior boundary run  $S78^{\circ}18'20''E$ , 41.51 feet to the aforesaid exterior boundary; thence run the following courses along said exterior boundaries:  $S00^{\circ}15'19''E$ , 221.80 feet; thence  $S89^{\circ}44'41''W$ , 34.81 feet; thence  $S00^{\circ}15'19''E$ , 15.00 feet; thence  $N89^{\circ}44'41''E$ , 34.81 feet; thence  $S00^{\circ}15'19''E$ , 2.30 feet; thence  $N89^{\circ}44'41''E$ , 270.00 feet; thence  $N00^{\circ}15'19''W$ , 25.00 feet; thence  $S89^{\circ}44'41''W$ , 30.99 feet; thence  $N00^{\circ}15'19''W$ , 14.96 feet; thence  $N89^{\circ}44'41''E$ , 17.75 feet; thence  $N00^{\circ}15'19''W$ , 83.81 feet; thence  $S89^{\circ}44'41''W$ , 15.00 feet; thence  $S00^{\circ}15'19''E$ , 68.81 feet; thence  $S89^{\circ}44'41''W$ , 2.75 feet; thence  $N00^{\circ}15'19''W$ , 77.74 feet; thence

N89°44'41"E, 35.00 feet; thence N00°15'19"W, 130.00 feet; thence S89°44'41"W, 124.01 feet; thence N00°15'19"W, 60.00 feet; thence S89°44'41"W, 216.59 feet; thence N30°15'19"W, 101.64 feet; thence N00°15'19"W, 842.11 feet to the aforesaid South Right-of-way line of Sand Lake Road; thence departing the Easterly line of aforesaid OUC Chilled Water Facility Access Easement Area, run N89°44'41"E along said South Right-of-way line, 988.29 feet; thence departing said South Right-of-way-line, run S00°15'19"E, 76.43 feet; thence S06°51'13"E, 269.85 feet; thence S00°02'22"E, 319.75 feet; thence S11°32'24"E, 75.23 feet; thence S00°02'22"E, 354.24 feet; thence N89°10'56"W, 525.39 feet to the point of curvature of a curve concave Southeasterly having a radius of 85.00 feet and a chord bearing of S45°49'04"W; thence Southwesterly along the arc of said curve through a central angle of 90°00'00" for a distance of 133.52 feet to the point of tangency; thence S00°49'04"W, 90.27 feet to the point of curvature of a curve concave Northeasterly having a radius of 85.00 feet and a chord bearing of S44°10'56"E; thence Southeasterly along the arc of said curve through a central angle of 90°00'00" for a distance of 133.52 feet to the point of tangency; thence S89°10'56"E, 213.03 feet to the point of curvature of a curve concave Southwesterly having a radius of 45.00 feet and a chord bearing of S44°10'56"E; thence Southeasterly along the arc of said curve through a central angle of 90°00'00" for a distance of 70.69 feet to the point of tangency; thence S00°49'04"W, 223.32 feet to the point of curvature of a curve concave Northeasterly having a radius of 85.00 feet and a chord bearing of S44°10'56"E; thence Southeasterly along the arc of said curve through a central angle of 90°00'00" for a distance of 133.52 feet to the point of tangency; thence S89°10'56"E, 262.28 feet to the West line of lands described in Official Records Book 3907, Page 1921, of said Public Records; thence departing said South Right-of-way line, run the following four (4) courses along the West and Southerly lines of said lands: S00°01'46"E along said West line and the aforesaid Northerly line of lands described in Official Records Book 5638, Page 3517, a distance of 813.60 feet; thence run the following three (3) courses along said Northerly line of lands described in Official Records Book 5638, Page 3517: S00°07'44"E, 278.25 feet; thence S66°03'27"E, 699.86 feet; thence N89°37'53"E, 872.23 feet to the Northwest corner of the Northernmost Conservation Easement, described in Official Records Book 9735, Page 2964, of said Public Records; thence departing said Northerly line run the following six (6) courses along the Westerly line of said Conservation Easement: S45°58'55"E, 326.39 feet; thence S36°30'45"E, 196.02 feet; thence S22°48'59"E, 434.67 feet; thence S40°28'32"E, 543.81 feet; thence S38°20'25"E, 734.14 feet; thence S25°40'00"E along said Westerly line and the Southerly prolongation thereof, a distance of 328.77 feet to the Northerly Right-of-way line of Destination Parkway, as described in Official Records Book 9936, Page 9262, of said Public Records; said point being on a non-tangent curve concave Southeasterly having a radius of 1349.95 feet and a chord bearing of S37°22'50"W; thence run the following three (3) courses along said Northerly Right-of-way line: Southwesterly along the arc of said curve through a central angle of 14°15'01" for a distance of 335.75 feet to the point of reverse curvature of a curve concave Northwesterly having a radius of 1649.94 feet and a chord bearing of S61°34'11"W; thence Southwesterly along the arc of said curve through a central angle of 62°37'44" for a distance of 1803.52 feet to the point of reverse curvature of a curve concave Southeasterly having a radius of 1274.96 feet and a chord bearing of S89°41'27"W; thence Southwesterly along the arc of said curve through a central angle of 06°23'12" for a distance of 142.12 feet to a non-tangent line; thence departing said Northerly Right-of-way line, run N48°35'43"W, 42.61 feet; thence N03°35'43"W, 211.13 feet to the point of curvature of a curve concave Westerly having a radius of 826.00 feet and a chord bearing of N04°25'13"W; thence Northerly along the arc of said curve through a central angle of 01°39'01" for a distance of 23.79 feet to the point of tangency; thence N05°14'44"W, 117.98 feet to the point of curvature of a curve concave Easterly having a radius of 94.00 feet and a chord bearing of N14°26'50"E; thence Northerly along the arc of said curve through a central angle of 39°23'08" for a distance of 64.62 feet to the point of compound curvature of a curve concave Southeasterly having a radius of 113.47 feet and a chord bearing of N51°21'13"E; thence Northeasterly along the arc of said curve through a central angle of 34°25'39" for a distance of 68.18 feet to the point of compound curvature of a curve concave Southerly having a radius of 685.03 feet and a chord bearing of N73°14'28"E; thence Easterly along the arc of said curve through a central angle of 09°20'51" for a distance of 111.76 feet to the point of compound curvature of a curve concave Southerly having a radius of 112.36 feet and a chord bearing of N83°39'38"E; thence Easterly along the arc of said curve through a central angle of 11°29'29" for a distance of 22.53 feet to the point of tangency; thence N89°24'23"E, 20.04 feet to the point of curvature of a curve

concave Northerly having a radius of 56.13 feet and a chord bearing of N79°17'51"E; thence Easterly along the arc of said curve through a central angle of 20°13'04" for a distance of 19.81 feet to the point of compound curvature of a curve concave Northwesterly having a radius of 370.96 feet and a chord bearing of N66°27'23"E; thence Northeasterly along the arc of said curve through a central angle of 05°27'52" for a distance of 35.38 feet to a non-tangent line; thence N25°07'13"W, 114.77 feet to a non-tangent curve concave Northerly having a radius of 233.70 feet and a chord bearing of S87°16'10"W; thence Westerly along the arc of said curve through a central angle of 30°28'40" for a distance of 124.32 feet to the point of compound curvature of a curve concave Northerly having a radius of 275.41 feet and a chord bearing of N69°25'01"W; thence Westerly along the arc of said curve through a central angle of 16°08'58" for a distance of 77.63 feet to the point of reverse curvature of a curve concave Southerly having a radius of 137.00 feet and a chord bearing of N82°29'17"W; thence Westerly along the arc of said curve through a central angle of 42°17'31" for a distance of 101.12 feet to the point of tangency; thence S76°21'57"W, 149.04 feet to the point of curvature of a curve concave Northerly having a radius of 298.00 feet and a chord bearing of S87°23'04"W; thence Westerly along the arc of said curve through a central angle of 22°02'14" for a distance of 114.62 feet to the point of compound curvature of a curve concave Northerly having a radius of 465.00 feet and a chord bearing of N68°36'42"W; thence Westerly along the arc of said curve through a central angle of 25°58'13" for a distance of 210.77 feet to the point of tangency; thence N55°37'36"W, 565.13 feet to the point of curvature of a curve concave Northeasterly having a radius of 10.00 feet and a chord bearing of N50°51'10"W; thence Northwesterly along the arc of said curve through a central angle of 09°32'52" for a distance of 1.67 feet to the point of tangency; thence N46°04'44"W, 65.48 feet; thence N55°37'36"W, 751.20 feet to a non-tangent curve concave Northerly having a radius of 33.00 feet and a chord bearing of N83°50'34"W; thence Westerly along the arc of said curve through a central angle of 50°16'31" for a distance of 28.96 feet to the point of reverse curvature of a curve concave Southwesterly having a radius of 1563.00 feet and a chord bearing of N65°08'46"W; thence Northwesterly along the arc of said curve through a central angle of 12°52'55" for a distance of 351.41 feet to a non-tangent line; thence N60°23'01"W, 52.31 feet to a non-tangent curve concave Southerly having a radius of 1574.00 feet and a chord bearing of N81°47'20"W; thence Westerly along the arc of said curve through a central angle of 16°40'04" for a distance of 457.89 feet to a non-tangent curve concave Northerly having a radius of 48.00 feet and a chord bearing of S69°15'53"W; thence Westerly along the arc of said curve through a central angle of 39°01'27" for a distance of 32.69 feet to the point of reverse curvature of a curve concave Southerly having a radius of 1563.00 feet and a chord bearing of S87°49'44"W; thence Westerly along the arc of said curve through a central angle of 01°53'45" for a distance of 51.72 feet to the POINT OF BEGINNING; bearings and distances are based on the Florida State Plane Coordinate System East Zone, NAD 83/2011 Epoch 2010.00 Datum; the reciprocal grid factor is 1.000034632.

**LESS AND EXCEPT:**

That part of Section 31, Township 23 South, Range 29 East, Orange County, Florida, described as follows:

Commence at the Northeast corner of Lot 1, OEP EAST PARCEL PHASE II, according to the plat thereof, as recorded in Plat Book 86, Pages 136 and 137, of the Public Records of Orange County, Florida; thence run N58°06'34"W along the Northeasterly line of said plat OEP EAST PARCEL PHASE II and the Northeasterly line of OEP EAST PARCEL, according to the plat thereof, as recorded in Plat Book 81, Pages 150 and 151, of said Public Records, for a distance of 1089.51 feet to the Northernmost corner of said OEP EAST PARCEL; thence departing said Northeasterly line, run N12°40'44"W, 1446.52 feet; thence N09°31'39"W, 1651.52 feet to the POINT OF BEGINNING; thence S12°08'22"W, 79.31 feet; thence N82°27'50"W, 35.05 feet; thence S03°34'47"W, 4.82 feet; thence S87°06'48"W, 24.20 feet; thence S03°49'15"E, 9.62 feet to a non-tangent curve concave Southerly having a radius of 335.61 feet and a chord bearing of S77°00'51"W; thence Westerly along the arc of said curve through a central angle of 18°50'04" for a distance of 110.32 feet to a non-tangent curve concave Northwesterly having a radius of 69.30 feet and a chord bearing of S64°07'03"W; thence Southwesterly along the arc of said curve through a central angle of 52°23'37" for a distance of 63.38 feet to a non-tangent line; thence S53°43'43"W, 49.20 feet to a non-tangent curve concave Westerly having a radius of

81.28 feet and a chord bearing of S10°52'59"W; thence Southerly along the arc of said curve through a central angle of 22°14'24" for a distance of 31.55 feet to a non-tangent curve concave Northwesterly having a radius of 18.00 feet and a chord bearing of S45°15'28"W; thence Southwesterly along the arc of said curve through a central angle of 251°07'13" for a distance of 78.89 feet to a non-tangent curve concave Northerly having a radius of 81.28 feet and a chord bearing of S79°07'07"W; thence Westerly along the arc of said curve through a central angle of 21°12'43" for a distance of 30.09 feet to a non-tangent curve concave Southeasterly having a radius of 420.38 feet and a chord bearing of S29°49'59"W; thence Southwesterly along the arc of said curve through a central angle of 14°46'50" for a distance of 108.45 feet to a non-tangent line; thence N67°14'41"W, 18.72 feet; thence S24°59'59"W, 11.97 feet; thence S14°59'58"W, 76.66 feet; thence N75°00'02"W, 50.51 feet; thence S13°03'40"W, 10.71 feet; thence N76°56'20"W, 2.78 feet; thence S13°03'40"W, 12.33 feet; thence N76°56'20"W, 6.58 feet; thence S13°03'40"W, 24.29 feet; thence N56°49'41"W, 88.50 feet to the point of curvature of a curve concave Southerly having a radius of 152.61 feet and a chord bearing of N78°39'02"W; thence Westerly along the arc of said curve through a central angle of 43°38'43" for a distance of 116.25 feet to the point of tangency; thence S79°31'36"W, 315.51 feet to the point of curvature of a curve concave Northeasterly having a radius of 30.00 feet and a chord bearing of N53°43'40"W; thence Northwesterly along the arc of said curve through a central angle of 93°29'28" for a distance of 48.95 feet to the point of tangency; thence N06°58'56"W, 107.64 feet to the point of curvature of a curve concave Southwesterly having a radius of 50.22 feet and a chord bearing of N35°26'11"W; thence Northwesterly along the arc of said curve through a central angle of 56°54'30" for a distance of 49.88 feet to the point of compound curvature of a curve concave Southerly having a radius of 26.28 feet and a chord bearing of N80°55'32"W; thence Westerly along the arc of said curve through a central angle of 34°04'12" for a distance of 15.63 feet to the point of tangency; thence S82°02'22"W, 161.74 feet; thence N54°59'37"W, 20.10 feet; thence N08°04'31"W, 114.53 feet; thence N23°13'21"E, 25.00 feet to the point of curvature of a curve concave Southeasterly having a radius of 23.33 feet and a chord bearing of N42°56'23"E; thence Northeasterly along the arc of said curve through a central angle of 39°26'04" for a distance of 16.06 feet to a non-tangent line; thence N66°46'39"W, 7.85 feet; thence N24°48'08"E, 114.91 feet to a non-tangent curve concave Southwesterly having a radius of 327.03 feet and a chord bearing of S51°56'55"E; thence Southeasterly along the arc of said curve through a central angle of 02°04'55" for a distance of 11.88 feet to the point of reverse curvature of a curve concave Northeasterly having a radius of 265.00 feet and a chord bearing of S55°42'05"E; thence Southeasterly along the arc of said curve through a central angle of 09°35'14" for a distance of 44.34 feet to the point of compound curvature of a curve concave Northerly having a radius of 415.00 feet and a chord bearing of N88°09'03"E; thence Easterly along the arc of said curve through a central angle of 62°42'31" for a distance of 454.21 feet to the point of compound curvature of a curve concave Northwesterly having a radius of 165.00 feet and a chord bearing of N42°50'28"E; thence Northeasterly along the arc of said curve through a central angle of 27°54'39" for a distance of 80.38 feet to the point of reverse curvature of a curve concave Southeasterly having a radius of 145.00 feet and a chord bearing of N35°49'28"E; thence Northeasterly along the arc of said curve through a central angle of 13°52'39" for a distance of 35.12 feet to the point of reverse curvature of a curve concave Northwesterly having a radius of 58.00 feet and a chord bearing of N38°36'38"E; thence Northeasterly along the arc of said curve through a central angle of 08°18'18" for a distance of 8.41 feet to the point of tangency; thence N34°27'29"E, 54.09 feet to the point of curvature of a curve concave Westerly having a radius of 58.00 feet and a chord bearing of N22°56'52"E; thence Northeasterly along the arc of said curve through a central angle of 23°01'14" for a distance of 23.30 feet to the point of reverse curvature of a curve concave Southeasterly having a radius of 179.67 feet and a chord bearing of N28°13'03"E; thence Northeasterly along the arc of said curve through a central angle of 33°33'35" for a distance of 105.24 feet to the point of tangency; thence N44°59'50"E, 136.45 feet; thence N00°00'13"W, 28.38 feet; thence N89°59'47"E, 58.80 feet to the point of curvature of a curve concave Southerly having a radius of 100.00 feet and a chord bearing of S67°50'28"E; thence Easterly along the arc of said curve through a central angle of 44°19'30" for a distance of 77.36 feet to the point of tangency; thence S45°40'43"E, 153.39 feet; thence N52°22'10"E, 4.80 feet to a non-tangent curve concave Northeasterly having a radius of 61.66 feet and a chord bearing of S30°59'50"E; thence Southeasterly along the arc of said curve through a central angle of 29°21'46" for a distance of 31.60 feet to the point of tangency; thence S45°40'43"E, 170.12 feet to a non-tangent curve concave Southwesterly having a radius of 23.24 feet and a

chord bearing of S26°45'05"E; thence Southeasterly along the arc of said curve through a central angle of 39°42'31" for a distance of 16.10 feet to a non-tangent curve concave Northeasterly having a radius of 50.67 feet and a chord bearing of S52°39'03"E; thence Southeasterly along the arc of said curve through a central angle of 89°38'46" for a distance of 79.28 feet to a non-tangent line; thence S49°33'16"E, 38.28 feet to the POINT OF BEGINNING; bearings and distances are based on the Florida State Plane Coordinate System East Zone, NAD 83/2011 Epoch 2010.00 Datum; the reciprocal grid factor is 1.000034632.

AND:

## **Parcel 2**

DESCRIPTION: (prepared by Donald W. McIntosh Associates, Inc.)

That part of Section 32, Township 23 South, Range 29 East and Section 5, Township 24 South, Range 29 East, Orange County, Florida, described as follows:

BEGIN at the Northwest corner of lands described in Official Records Book 5638, Page 3517, of the Public Records of Orange County, Florida; thence S89°37'53"W along the North line of said lands described in Official Records Book 5638, Page 3517, a distance of 1077.93 feet to the Northwest corner of the Northernmost Conservation Easement described in Official Records Book 9735, Page 2964, of said Public Records; thence departing said Northerly line, run the following six (6) courses along the Westerly line of said Conservation Easement: S45°58'55"E, 326.39 feet; thence S36°30'45"E, 196.02 feet; thence S22°48'59"E, 434.67 feet; thence S40°28'32"E, 543.81 feet; thence S38°20'25"E, 734.14 feet; thence S25°40'00"E along said Westerly line and the Southerly prolongation thereof, a distance of 328.77 feet to the Northerly Right-of-way line of Destination Parkway, as described in Official Records Book 9936, Page 9262, of said Public Records, and a non-tangent curve concave Southeasterly having a radius of 1349.95 feet and a chord bearing of N53°37'31"E; thence Northeasterly along the arc of said curve through a central angle of 18°14'20" for a distance of 429.73 feet to the point of tangency; thence N62°44'41"E, 197.03 feet to the Easterly line of aforesaid lands described in Official Records Book 5638, Page 3517; thence run the following three (3) courses along said Easterly line: N33°22'35"W, 319.71 feet; thence N16°45'28"W, 571.25 feet; thence N31°52'24"W, 1083.09 feet to the POINT OF BEGINNING; bearings and distances are based on the Florida State Plane Coordinate System East Zone, NAD 83/2011 Epoch 2010.00 Datum; the reciprocal grid factor is 1.000034632.

AND:

## **Parcel 3**

DESCRIPTION: (prepared by Donald W. McIntosh Associates, Inc.)

That part of Section 32, Township 23 South, Range 29 East, and Sections 5, and 6, Township 24 South, Range 29 East, Orange County, Florida, described as follows:

Commence at the Southwest corner of Lot 8, GRAN PARK AT SOUTHPARK PHASE II, according to the plat thereof, as recorded in Plat Book 55, Pages 41 through 43, of the Public Records of Orange County, Florida; thence N89°45'33"E along the South line of said Lot 8, and the Easterly line of lands described as Parcel 1 in Official Records Book 5638, Page 3539, of said Public Records, a distance of 548.28 feet; thence departing said South line, run the following eleven (11) courses along the Easterly and Southerly lines of said Parcel 1: S47°21'36"E, 407.17 feet; thence S02°49'12"W, 707.25 feet; thence S20°53'55"W, 155.44 feet; thence S75°24'18"W, 292.75 feet; thence S62°12'27"W, 300.26 feet; thence S42°21'06"W, 320.48 feet; thence S52°48'25"W, 354.95 feet; thence S24°37'48"W, 388.52 feet to the Northerly Limited Access Right-of-way



line of State Road No. 528 (Beachline Expressway), as described in Official Records Book 2217, Page 806, of said Public Records, and a point on a non-tangent curve concave Northerly having a radius of 951.71 feet and a chord bearing of S89°13'24"W; thence run the following nine (9) courses along said Northerly Limited Access Right-of-way line: Westerly along the arc of said curve through a central angle of 01°05'01" for a distance of 18.00 feet to a non-tangent line; thence S88°37'10"W, 200.00 feet; thence S89°45'55"W, 170.49 feet to the Southwest corner of the Permanent Drainage Easement, as described in Official Records Book 3514, Page 2343, of said Public Records and the POINT OF BEGINNING; thence continue S89°45'55"W, 2483.06 feet; thence N86°14'06"W, 289.49 feet to the point of curvature of a curve concave Northerly having a radius of 1342.34 feet and a chord bearing of N73°20'10"W; thence Westerly along the arc of said curve through a central angle of 25°47'51" for a distance of 604.39 feet to the point of tangency; thence N60°26'15"W, 965.52 feet to the point of curvature of a curve concave Northeasterly having a radius of 140.00 feet and a chord bearing of N30°20'10"W; thence Northwesterly along the arc of said curve through a central angle of 60°12'10" for a distance of 147.10 feet to a radial line; thence S89°45'55"W along said radial line, a distance of 35.75 feet to the Easterly Right-of-way line of Universal Boulevard, USI - SOUTH CAMPUS UNIT ONE, according to the plat thereof, as recorded in Plat Book 46, Pages 13 through 16, of said Public Records; thence N00°14'05"W along said Easterly Right-of-way line, a distance of 378.40 feet to the Southerly line of lands described in Official Records Book 6262, Page 4996, of said Public Records; thence run the following courses along the Southerly and Easterly lines of said lands described in Official Records Book 6262, Page 4996: S83°48'01"E, 259.72 feet to the point of curvature of a curve concave Southwesterly having a radius of 235.99 feet and a chord bearing of S38°11'59"E; thence Southeasterly along the arc of said curve through a central angle of 91°12'04" for a distance of 375.64 feet to the point of reverse curvature of a curve concave Northeasterly having a radius of 219.99 feet and a chord bearing of S39°06'04"E; thence Southeasterly along the arc of said curve through a central angle of 93°00'14" for a distance of 357.10 feet to the point of tangency; thence S85°36'11"E, 189.99 feet to the point of curvature of a curve concave Southwesterly having a radius of 259.99 feet and a chord bearing of S54°33'53"E; thence Southeasterly along the arc of said curve through a central angle of 62°04'36" for a distance of 281.69 feet to the point of reverse curvature of a curve concave Northeasterly having a radius of 144.99 feet and a chord bearing of S58°40'27"E; thence Southeasterly along the arc of said curve through a central angle of 70°17'44" for a distance of 177.89 feet to the point of tangency; thence N86°10'41"E, 44.54 feet to the point of curvature of a curve concave Southwesterly having a radius of 125.00 feet and a chord bearing of S67°15'29"E; thence Southeasterly along the arc of said curve through a central angle of 53°07'41" for a distance of 115.90 feet to the point of tangency; thence S40°41'38"E, 84.52 feet to the point of curvature of a curve concave Northerly having a radius of 60.00 feet and a chord bearing of S79°52'48"E; thence Easterly along the arc of said curve through a central angle of 78°22'19" for a distance of 82.07 feet to the point of tangency; thence N60°56'03"E, 74.58 feet to the point of curvature of a curve concave Southerly having a radius of 115.00 feet and a chord bearing of S81°07'19"E; thence Easterly along the arc of said curve through a central angle of 75°53'16" for a distance of 152.31 feet to the point of reverse curvature of a curve concave Northerly having a radius of 120.00 feet and a chord bearing of S83°16'11"E; thence Easterly along the arc of said curve through a central angle of 80°11'00" for a distance of 167.93 feet to the point of reverse curvature of a curve concave Southerly having a radius of 259.99 feet and a chord bearing of N89°47'33"E; thence Easterly along the arc of said curve through a central angle of 66°18'30" for a distance of 300.89 feet to the point of reverse curvature of a curve concave Northerly having a radius of 100.00 feet and a chord bearing of S73°25'19"E; thence Easterly along the arc of said curve through a central angle of 32°44'14" for a distance of 57.14 feet to the point of tangency; thence S89°47'26"E, 177.99 feet to the point of curvature of a curve concave Northwesterly having a radius of 219.99 feet and a chord bearing of N57°56'26"E; thence Northeasterly along the arc of said curve through a central angle of 64°32'17" for a distance of 247.80 feet to the point of reverse curvature of a curve concave Southeasterly having a radius of 149.99 feet and a chord bearing of N66°03'34"E; thence Northeasterly along the arc of said curve through a central angle of 80°46'33" for a distance of 211.46 feet to the point of reverse curvature of a curve concave Northerly having a radius of 120.00 feet and a chord bearing of N77°23'49"E; thence Easterly along the arc of said curve through a central angle of 58°06'03" for a distance of 121.68 feet to the point of reverse curvature of a curve concave Southerly having a radius of 120.00 feet and a chord bearing of N85°25'55"E; thence Easterly along the arc of

said curve through a central angle of 74°10'16" for a distance of 155.34 feet to the point of tangency; thence S57°28'57"E, 98.49 feet; thence N22°39'49"E, 388.97 feet; thence N20°23'02"E, 264.53 feet; thence N17°08'32"E, 430.95 feet; thence N09°26'15"E, 215.49 feet; thence N07°22'46"W, 185.98 feet; thence N05°18'07"W, 126.34 feet; thence N15°37'38"W, 304.43 feet; thence N04°53'14"W, 244.76 feet; thence N05°39'40"E, 200.87 feet; thence N04°52'25"E, 575.60 feet; thence N03°59'19"W, 195.54 feet; thence N00°41'27"W, 120.58 feet; thence N11°13'42"E, 346.06 feet; thence N22°20'44"E, 110.51 feet; thence N03°08'01"E, 56.49 feet; thence N18°30'38"W, 78.69 feet; thence N33°28'25"W, 592.86 feet; thence N25°40'00"W, 255.91 feet; thence departing said Easterly line run N50°08'54"W, 95.00 feet to the Southerly Right-of-way line of Destination Parkway, as described in Official Records Book 9936, Page 9262, of said Public Records, and a non-tangent curve concave Southerly having a radius of 1199.96 feet and a chord bearing of N51°17'53"E; thence Northeasterly along said Southerly Right-of-way line and the arc of said curve along the arc of said curve through a central angle of 22°53'34" for a distance of 479.45 feet to a non-tangent line; thence N62°44'42"E along said Southerly Right-of-way line, 213.11 feet to the Westerly line of aforesaid Permanent Drainage Easement, as described in Official Records Book 3514, Page 2343; thence run the following nine (9) courses along said Westerly line: S33°22'35"E, 1135.95 feet; thence S19°43'30"E, 1106.81 feet; thence S21°21'50"W, 855.14 feet; thence S10°20'46"E, 603.88 feet; thence S01°52'13"W, 566.78 feet; thence S11°25'00"E, 545.87 feet; thence S02°02'19"E, 263.35 feet; thence S00°35'38"E, 239.77 feet; thence S23°15'19"W, 376.37 feet to the POINT OF BEGINNING; Bearings and distances are based on the Florida State Plane Coordinate System East Zone, NAD 83/2011 Epoch 2010.00 Datum; the reciprocal grid factor is 1.000034632.

AND:

#### **Parcel 4**

That part of Section 6, Township 24 South, Range 29 East, Orange County, Florida, described as follows:

BEGIN at the Southeast corner of PLAZA INTERNATIONAL UNIT TWELVE, according to the plat thereof, as recorded in Plat Book 29, Page 13, of the Public Records of Orange County, Florida; thence N00°19'23"W along the East line of said plat, a distance of 777.43 feet to the Southerly Right-of-way line of Destination Parkway, as described in Official Records Book 10850, Page 4329, of said Public Records; thence run the following three (3) courses along said Southerly Right-of-way line: S89°18'04"E, 958.22 feet to the point of curvature of a curve concave Northerly having a radius of 1430.30 feet and a chord bearing of N79°28'31"E; thence Easterly along the arc of said curve through a central angle of 22°26'51" for a distance of 560.37 feet to the point of compound curvature of a curve concave Northwesterly having a radius of 2054.93 feet and a chord bearing of N64°58'42"E; thence Northeasterly along the arc of said curve through a central angle of 06°32'45" for a distance of 234.77 feet to the North line of the Drainage Easement described in Official Records Book 3081, Page 210, of said Public Records, and a non-tangent line; thence S89°20'22"E along said North line, a distance of 1707.73 feet to the point of curvature of a curve concave Southerly having a radius of 399.99 feet and a chord bearing of S76°09'22"E; thence Easterly along said North line and the arc of said curve through a central angle of 26°22'00" for a distance of 184.07 feet to the point of reverse curvature of a curve concave Northerly having a radius of 299.99 feet and a chord bearing of S71°19'40"E; thence Easterly along said North line and the arc of said curve through a central angle of 16°42'36" for a distance of 87.49 feet to the Southerly Right-of-Way line of Universal Boulevard, USI - SOUTH CAMPUS UNIT ONE, according to the plat thereof, as recorded in Plat Book 46, Pages 13 through 16, of said Public Records, and a non-tangent line; thence S00°14'05"E along said Southerly Right-of-Way line, a distance of 83.17 feet to the Northerly Limited Access Right-of-way line of State Road No. 528 (Beachline Expressway), as described in Official Records Book 2217, Page 806, of said Public Records, thence run the following eight (8) courses along said Northerly Limited Access Right-of-way line: S89°45'54"W, 25.15 feet; thence S04°11'24"W, 137.39 feet to a non-tangent curve

concave Northwesterly having a radius of 369.99 feet and a chord bearing of S34°23'25"W; thence Southwesterly along the arc of said curve through a central angle of 69°15'00" for a distance of 447.18 feet to the point of tangency; thence S69°00'55"W, 543.83 feet to the point of curvature of a curve concave Northerly having a radius of 1819.80 feet and a chord bearing of S79°23'25"W; thence Westerly along the arc of said curve through a central angle of 20°45'00" for a distance of 659.05 feet to a non-tangent line; thence S88°37'09"W, 100.01 feet; thence S89°45'55"W, 1884.43 feet; thence N86°20'35"W, 272.99 feet to the POINT OF BEGINNING; Bearings and distances are based on the Florida State Plane Coordinate System East Zone, NAD 83/2011 Epoch 2010.00 Datum; the reciprocal grid factor is 1.000034632;

AND:

### **Parcel 5**

That part of Section 6, Township 24 South, Range 29 East, Orange County, Florida, described as follows:

Commence at the Northeast corner of Lot 8, PLAZA INTERNATIONAL UNIT TWELVE, according to the plat thereof, as recorded in Plat Book 29, Page 13, of the Public Records of Orange County, Florida; thence S89°18'04"E along the North Right-of-way line of Destination Parkway, as described in Official Records Book 10850, Page 4329, of said Public Records, a distance of 326.87 feet to the Southwest corner of SC-5, SC-6, & SC-7E, as described in Official Records Book 8891, Page 803, of said Public Records, and the Southwest corner of OHL PARCEL 7, as described in Document No. 20180616479, of said Public Records; thence departing said North Right-of-way line run N00°20'10"W along the West line of said SC-5, SC-6, & SC-7E, and the West line of said OHL PARCEL 7, a distance of 216.42 feet to the Northwest corner of said OHL PARCEL 7, and the POINT OF BEGINNING; thence continue N00°20'10"W along the West line of said SC-5, SC-6, & SC-7E, a distance of 50.01 feet; thence departing said West line run S89°18'04"E, 322.45 feet; thence S00°00'17"E, 48.40 feet; thence N90°00'00"E, 52.58 feet; thence S00°00'00"E, 4.07 feet; thence N90°00'00"E, 346.64 feet; thence S00°00'00"W, 215.95 feet to the aforesaid North Right-of-way line of Destination Parkway and a non-tangent curve concave Northerly having a radius of 1320.30 feet and a chord bearing of S88°48'51"W; thence run the following two (2) courses along said North Right-of-way line: Westerly along the arc of said curve through a central angle of 03°46'10" for a distance of 86.86 feet to the point of tangency; thence N89°18'04"W, 361.18 feet to the Southeast corner of the aforesaid OHL PARCEL 7; thence N00°20'10"W along the East line of said OHL PARCEL 7, a distance of 216.42 feet to the Northeast corner of said OHL PARCEL 7; thence N89°18'04"W along the North line of said OHL PARCEL 7, a distance of 272.13 feet to the POINT OF BEGINNING; bearings and distances are based on the Florida State Plane Coordinate System East Zone, NAD 83/2011 Epoch 2010.00 Datum; the reciprocal grid factor is 1.000034632.

AND:

### **Parcel 6**

That part of Section 31, Township 23 South, Range 29 East and that part of Sections 5 and 6, Township 24 South, Range 29 East, Orange County, Florida, described as follows:

COMMENCE at the Southwest corner of OEP EAST PARCEL, according to the plat thereof, as recorded in Plat Book 81, Pages 150 and 151, of the Public Records of Orange County, Florida; thence N67°05'22"W along the Northerly Right-of-way line of Universal Boulevard, USI - SOUTH CAMPUS UNIT ONE, according to the plat thereof, as recorded in Plat Book 46, Pages 13 through 16, of said Public Records, a distance of 575.14 feet; thence N22°05'22"W, 28.50 feet; thence N22°54'38"E, 82.36 feet to the point of curvature of a curve concave Westerly having a radius of 2604.00 feet and a chord bearing of N14°05'28"E;

thence Northerly along the arc of said curve through a central angle of  $17^{\circ}38'20''$  for a distance of 801.66 feet to the point of tangency; thence  $N05^{\circ}16'18''E$ , 276.48 feet to the point of curvature of a curve concave Westerly having a radius of 2153.00 feet and a chord bearing of  $N02^{\circ}35'46''E$ ; thence Northerly along the arc of said curve through a central angle of  $05^{\circ}21'03''$  for a distance of 201.07 feet to the point of reverse curvature of a curve concave Southeasterly having a radius of 50.00 feet and a chord bearing of  $N30^{\circ}09'54''E$ ; thence Northeasterly along the arc of said curve through a central angle of  $60^{\circ}29'19''$  for a distance of 52.79 feet to the point of tangency; thence  $N60^{\circ}24'34''E$ , 45.88 feet to the point of curvature of a curve concave Southeasterly having a radius of 1464.67 feet and a chord bearing of  $N64^{\circ}35'22''E$ ; thence Northeasterly along the arc of said curve through a central angle of  $08^{\circ}21'37''$  for a distance of 213.72 feet to the point of tangency; thence  $N68^{\circ}46'11''E$ , 181.68 feet to the point of curvature of a curve concave Southerly having a radius of 1164.67 feet and a chord bearing of  $N71^{\circ}23'44''E$ ; thence Easterly along the arc of said curve through a central angle of  $05^{\circ}15'07''$  for a distance of 106.76 feet to the point of tangency; thence  $N74^{\circ}01'18''E$ , 210.89 feet to the point of curvature of a curve concave Southerly having a radius of 1343.00 feet and a chord bearing of  $N78^{\circ}44'54''E$ ; thence Easterly along the arc of said curve through a central angle of  $09^{\circ}27'11''$  for a distance of 221.58 feet to the point of compound curvature of a curve concave Southerly having a radius of 1494.00 feet and a chord bearing of  $N84^{\circ}42'43''E$ ; thence Easterly along the arc of said curve through a central angle of  $02^{\circ}28'26''$  for a distance of 64.51 feet to a non-tangent line; thence  $N03^{\circ}31'55''W$ , 21.00 feet to a non-tangent curve concave Southerly having a radius of 1515.00 feet and a chord bearing of  $N89^{\circ}09'40''E$ , and the POINT OF BEGINNING; thence Easterly along the arc of said curve through a central angle of  $06^{\circ}24'38''$  for a distance of 169.51 feet to a non-tangent curve concave Southerly having a radius of 34.00 feet and a chord bearing of  $N69^{\circ}21'56''E$ ; thence Easterly along the arc of said curve through a central angle of  $47^{\circ}54'38''$  for a distance of 28.43 feet to the point of compound curvature of a curve concave Southerly having a radius of 1526.00 feet and a chord bearing of  $S84^{\circ}54'37''E$ ; thence Easterly along the arc of said curve through a central angle of  $03^{\circ}32'16''$  for a distance of 94.22 feet to the point of compound curvature of a curve concave Southwesterly having a radius of 53.00 feet and a chord bearing of  $S67^{\circ}06'17''E$ ; thence Easterly along the arc of said curve through a central angle of  $32^{\circ}04'25''$  for a distance of 29.67 feet to the point of reverse curvature of a curve concave Northeasterly having a radius of 37.00 feet and a chord bearing of  $S66^{\circ}13'17''E$ ; thence Southeasterly along the arc of said curve through a central angle of  $30^{\circ}18'24''$  for a distance of 19.57 feet to the point of reverse curvature of a curve concave Southerly having a radius of 1513.00 feet and a chord bearing of  $S79^{\circ}13'28''E$ ; thence Easterly along the arc of said curve through a central angle of  $04^{\circ}18'01''$  for a distance of 113.56 feet to the point of reverse curvature of a curve concave Northerly having a radius of 37.00 feet and a chord bearing of  $N87^{\circ}46'20''E$ ; thence Easterly along the arc of said curve through a central angle of  $30^{\circ}18'24''$  for a distance of 19.57 feet to the point of reverse curvature of a curve concave Southerly having a radius of 53.00 feet and a chord bearing of  $N88^{\circ}39'21''E$ ; thence Easterly along the arc of said curve through a central angle of  $32^{\circ}04'25''$ , for a distance of 29.67 feet to the point of compound curvature of a curve concave Southerly having a radius of 1526.00 feet and a chord bearing of  $S73^{\circ}58'02''E$ ; thence Easterly along the arc of said curve through a central angle of  $02^{\circ}40'49''$  for a distance of 71.39 feet to a non-tangent line; thence  $S58^{\circ}59'35''E$ , 49.97 feet to a non-tangent curve concave Southwesterly having a radius of 1515.00 feet and a chord bearing of  $S64^{\circ}30'55''E$ ; thence Southeasterly along the arc of said curve through a central angle of  $12^{\circ}33'01''$  for a distance of 331.85 feet to a non-tangent curve concave Southerly having a radius of 34.00 feet and a chord bearing of  $S81^{\circ}14'28''E$ ; thence Easterly along the arc of said curve through a central angle of  $47^{\circ}54'38''$  for a distance of 28.43 feet to the point of compound curvature of a curve concave Southwesterly having a radius of 1526.00 feet and a chord bearing of  $S56^{\circ}27'22''E$ ; thence Southeasterly along the arc of said curve through a central angle of  $01^{\circ}39'33''$  for a distance of 44.19 feet to the point of tangency; thence  $S55^{\circ}37'36''E$ , 1256.28 feet to the point of curvature of a curve concave Northerly having a radius of 558.36 feet and a chord bearing of  $S72^{\circ}09'50''E$ ; thence Easterly along the arc of said curve through a central angle of  $33^{\circ}04'28''$  for a distance of 322.32 feet to the point of reverse curvature of a curve concave Southerly having a radius of 148.00 feet and a chord bearing of  $S78^{\circ}10'15''E$ ; thence Easterly along the arc of said curve through a central angle of  $21^{\circ}03'38''$  for a distance of 54.40 feet to the point of compound curvature of a curve concave Southwesterly having a radius of 154.00 feet and a chord bearing of  $S42^{\circ}02'49''E$ ; thence Southeasterly along the arc of said curve through a central angle of  $51^{\circ}11'16''$  for a distance of 137.58 feet to the point of compound curvature of a curve

concave Westerly having a radius of 849.80 feet and a chord bearing of S10°55'20"E; thence Southerly along the arc of said curve through a central angle of 11°03'42" for a distance of 164.07 feet to the point of tangency; thence S05°23'29"E, 96.37 feet; thence S03°35'43"E, 151.90 feet to the point of curvature of a curve concave Westerly having a radius of 48.00 feet and a chord bearing of S07°03'39"W; thence Southerly along the arc of said curve through a central angle of 21°18'43" for a distance of 17.85 feet to the Northerly Right-of-way line of Destination Parkway, as described in Official Records Book 9936, Page 9262, of said Public Records, and a non-tangent curve concave Southerly having a radius of 1274.96 feet and a chord bearing of N83°24'15"E; thence Easterly along said Northerly Right-of-way line and the arc of said curve through a central angle of 06°11'12" for a distance of 137.67 feet to a non-tangent line; thence departing said Northerly Right-of-way line, run N48°35'43"W, 42.61 feet; thence N03°35'43"W, 211.13 feet to the point of curvature of a curve concave Westerly having a radius of 826.00 feet and a chord bearing of N04°25'13"W; thence Northerly along the arc of said curve through a central angle of 01°39'01" for a distance of 23.79 feet to the point of tangency; thence N05°14'44"W, 117.98 feet to the point of curvature of a curve concave Easterly having a radius of 94.00 feet and a chord bearing of N14°26'50"E; thence Northerly along the arc of said curve through a central angle of 39°23'08" for a distance of 64.62 feet to the point of compound curvature of a curve concave Southeasterly having a radius of 113.47 feet and a chord bearing of N51°21'13"E; thence Northeasterly along the arc of said curve through a central angle of 34°25'39" for a distance of 68.18 feet to the point of compound curvature of a curve concave Southerly having a radius of 685.03 feet and a chord bearing of N73°14'28"E; thence Easterly along the arc of said curve through a central angle of 09°20'51" for a distance of 111.76 feet to the point of compound curvature of a curve concave Southerly having a radius of 112.36 feet and a chord bearing of N83°39'38"E; thence Easterly along the arc of said curve through a central angle of 11°29'29" for a distance of 22.53 feet to the point of tangency; thence N89°24'23"E, 20.04 feet to the point of curvature of a curve concave Northerly having a radius of 56.13 feet and a chord bearing of N79°17'51"E; thence Easterly along the arc of said curve through a central angle of 20°13'04" for a distance of 19.81 feet to the point of compound curvature of a curve concave Northwesterly having a radius of 370.96 feet and a chord bearing of N66°27'23"E; thence Northeasterly along the arc of said curve through a central angle of 05°27'52" for a distance of 35.38 feet to a non-tangent line; thence N25°07'13"W, 114.77 feet to a non-tangent curve concave Northerly having a radius of 233.70 feet and a chord bearing of S87°16'10"W; thence Westerly along the arc of said curve through a central angle of 30°28'40" for a distance of 124.32 feet to the point of compound curvature of a curve concave Northerly having a radius of 275.41 feet and a chord bearing of N69°25'01"W; thence Westerly along the arc of said curve through a central angle of 16°08'58" for a distance of 77.63 feet to the point of reverse curvature of a curve concave Southerly having a radius of 137.00 feet and a chord bearing of N82°29'17"W; thence Westerly along the arc of said curve through a central angle of 42°17'31" for a distance of 101.12 feet to the point of tangency; thence S76°21'57"W, 149.04 feet to the point of curvature of a curve concave Northerly having a radius of 298.00 feet and a chord bearing of S87°23'04"W; thence Westerly along the arc of said curve through a central angle of 22°02'14" for a distance of 114.62 feet to the point of compound curvature of a curve concave Northerly having a radius of 465.00 feet and a chord bearing of N68°36'42"W; thence Westerly along the arc of said curve through a central angle of 25°58'13" for a distance of 210.77 feet to the point of tangency; thence N55°37'36"W, 565.13 feet to the point of curvature of a curve concave Northeasterly having a radius of 10.00 feet and a chord bearing of N50°51'10"W; thence Northwesterly along the arc of said curve through a central angle of 09°32'52" for a distance of 1.67 feet to the point of tangency; thence N46°04'44"W, 65.48 feet; thence N55°37'36"W, 751.20 feet to a non-tangent curve concave Northerly having a radius of 33.00 feet and a chord bearing of N83°50'34"W; thence Westerly along the arc of said curve through a central angle of 50°16'31" for a distance of 28.96 feet to the point of reverse curvature of a curve concave Southwesterly having a radius of 1563.00 feet and a chord bearing of N65°08'46"W; thence Northwesterly along the arc of said curve through a central angle of 12°52'55" for a distance of 351.41 feet to a non-tangent line; thence N60°23'01"W, 52.31 feet to a non-tangent curve concave Southerly having a radius of 1574.00 feet and a chord bearing of N81°47'20"W; thence Westerly along the arc of said curve through a central angle of 16°40'04" for a distance of 457.89 feet to a non-tangent curve concave Northerly having a radius of 48.00 feet and a chord bearing of S69°15'53"W; thence Westerly along the arc of said curve through a central angle of 39°01'27" for a distance of 32.69 feet to the point of reverse curvature of a curve concave

Southerly having a radius of 1563.00 feet and a chord bearing of S87°49'44"W; thence Westerly along the arc of said curve through a central angle of 01°53'45" for a distance of 51.72 feet to a non-tangent line; thence S03°31'55"E, 149.72 feet to the POINT OF BEGINNING; bearings and distances are based on the Florida State Plane Coordinate System East Zone, NAD 83/2011 Epoch 2010.00 Datum; the reciprocal grid factor is 1.000034632.

Together containing 719.185 acres more or less and being subject to any rights-of-way, restrictions and easements of record.